

TD300 GPS Tracker


Quick Start Guide

1 Insert SIM Card:


◆ **Note:**

- Please **MUST** use the SIM cards provided by Telecom companies which are verified by AVECL as compatible. Otherwise, it's not able to guarantee the TD300 trackers will function properly.
- Please make sure the SIM card provides the functions of voice call, SMS and GPRS data transmission.
- Please disable the SIM PIN code, "voice mail", "call waiting" and "call forward" functions of SIM card before insert it into TD300 GPS Tracker.

1.1 Unlock and follow the indicated direction to open the battery cover.



1.2 Insert the SIM card as the label indicated (metal contact face down).




2 Insert Battery:


◆ **Note:**

- For first time use, rechargeable battery requires a complete charge. please charge the battery for 4 hours at least before use.
- While charging the battery, the more sufficient way is to have the Tracker Power OFF.

2.1 Insert the battery by the correct direction.




2.2 Put the battery cover back and lock it.



3 Power ON TD300 GPS Tracker:

Press and hold the power button (about 2 seconds) until the LEDs start blinking.



4 LED Indication:

Power Status

LED Color	Steady Orange (LED OFF if fully charged)	Blinking Red
Status	Charging	Low Battery

GSM Status

LED (Green)	Blinking every 0.5 sec.	Blinking every 1 sec.	Blinking every 3 sec.
--------------------	-------------------------	-----------------------	-----------------------

Status	Power Saving Mode	Searching the network	Connected to the network
---------------	-------------------	-----------------------	--------------------------

◆ **Note:**

- **The Tracker has to be in the GSM and GPRS coverage and in good signal reception condition to make sure all the functions work properly.**

GPS Status

LED (blue)	LED OFF	Blinking every 1 sec.	Blinking every 3 sec.
Status	Power Saving Mode	GPS is not fixed (no location available)	GPS 3D fixed (location is available)

◆ **Note:**

- **The Tracker has to be in the outdoor environment (won't have GPS signal indoor). In certain critical environments such as tunnels have no GPS signal transmission).**

5 SOS Button:

By pushing SOS button, TD300 GPS Tracker will send the emergency alarm to the pre-set phone number and service center.

6 Login to tracking website:

6.1.1 Go to tracking website <http://www.anytra.com>

6.1.2 For first time login, use IMEI and Serial numbers as User Name and Password.

User Name	= IMEI Number
Password	= Serial Number

- ◆ **Note:** The IMEI and Serial Numbers have been stated on the Tracker and Gift box.